

Developing a Control Strategy for AFM Nano-Micro Manipulation

H. RaeisiFard*

Faculty of Industrial and Mechanical Engineering,
Islamic Azad University, Qazvin Branch, Qazvin, Iran
E-mail: Raeisifard@Qiau.ac.ir
*Corresponding author

A. K. Hoshiar

Faculty of Industrial and Mechanical Engineering,
Islamic Azad University, Qazvin Branch, Qazvin, Iran
E-mail: Hoshiar@Qiau.ac.ir

Received: 8 November 2014, Revised: 3 February 2015, Accepted: 15 February 2015

Abstract: Nowadays, with the growing use of AFM (Atomic Force Microscope) nanorobots in the fabrication of nanostructures, research in this area has been proliferated. The major limiting of manipulation process is the lack of real-time observation. Computer simulations have been widely applied to improve the feasibility of the process. The existing 2D strategies are incapable of presenting the feasibility of the process. Therefore, 3D simulations of effective forces during the manipulation process and the control mechanism of the process have been presented in this research, where the effective parameters are investigated. To evaluate the validity of the presented results, a FEM simulation is proposed. It is observed that the two sets of results (the analytical method and the finite element approach) have adequate correlation, while the discrepancy which is in an acceptable range, is due to the different solving technique of the finite element method. By applying the presented models, it is now possible to accurately predict the effective forces for fabricating the nanostructures.

Keywords: AFM Nano robot, Controlled Manipulation, Finite Element Method, Manipulation Process

Reference: RaeisiFard, H., Hoshiar, A. K., "Developing a Control Strategy for AFM Nano-Micro Manipulation", *Int J of Advanced Design and Manufacturing Technology*, Vol. 8/ No. 2, 2015, pp. 11-16

Biographical notes: **H. RaeisiFard** received his PhD in Mechanical Engineering from IAU University, Science and Research Branch, in 2013. He is currently Assistant Professor at the Faculty of Industrial and Mechanical Engineering, Islamic Azad University, Qazvin Branch, Qazvin, Iran. His current research interest includes MEMS, NEMS and Nonlinear Vibration. **A. K. Hoshiar** received his PhD in Mechanical Engineering from IAU University, Science and Research Branch, in 2014. He is currently Assistant Professor at the Faculty of Industrial and Mechanical Engineering, Islamic Azad University, Qazvin Branch, Qazvin, Iran. His current research interest includes Micro Nano manipulation, and Robotics.

1 INTRODUCTION

AFM (Atomic Force Microscope) based nano manipulation is a cutting edge manufacturing process which is used for micro nano assembly. In the process of nano manipulation, AFM cantilever is used for pushing nano particles and locating them precisely on the surface. Pushing nano particles by means of AFM robots is one of the main manufacturing processes in the nano scale. The process has three major steps, first the location of particle is found using the AFM (Atomic Force Microscope) image, then probe and particle get interaction, after creating the initial contact between the probe tip and particle, the force applied from the cantilever increases until the critical time is reached and the particle dislodges from the surface. Then the applied force becomes constant and the particle is guided towards the desired point.

AFM cantilevers are very delicate, and if they are unable to perform their intended tasks or break during the operation, the displacement of nanoparticles by the AFM robot will become a difficult and costly undertaking. By being able to predict the effective forces and implementing the control strategy, the probability of process failure will be reduced and the feasibility of the manipulation process will be ensured. The ability of pushing particle to manufacture nano structures has been studied in past decade [1]-[3]. The first dynamic model for nano manipulation of spherical particles has been presented by Sitti et al., [4]. The dynamic modes of manipulation and critical time in which the separation happens have been intruded [5], Tafazzoli et al., [6]. The shape of nano particle is a major obstacle; therefore, to have accurate results, modelling techniques are improved by Korayem et al., [7], [8]. Moreover, with the recent developments it is possible to have a force feedback in real time [9], [10]. While the direct measurement for effective forces in the process has been introduced by Mrinalini et al., [11], however, the control process of manipulation is still an undergoing problem addressed in this paper.

Falvo et al., have tried to find a way for real time control, and presented a haptic device that makes a close loop control for manipulation process [12]. Controlled manipulation of CNT has also been introduced by Jiangbo et al., where a special cantilever has been used for this purpose [13]. Also critical situations in which process failure might happen have been investigated by Lianqing et al., [14], [15]. The control of AFM based manipulation process has been studying in the most recent works in manipulation field. Control of AFM cantilever position has been presented by Wang et al., [16], and output feedback is used to improve accuracy of manipulation process by Fang et al., [17]. In the most recent works, manipulation of polyhedron-like nano particle has been

widely studied and a mathematical model for surface characterization of multiwall carbon nano tube has been proposed [18], [19]. The control strategy for hysteresis and creep of the AFM piezo actuator has been developed by Xi et al., [20], [21]; a control strategy based on laser beam detection has been proposed by Amari [22]. In the most recent works, Korayem et al., proposed a 3D dynamic model in liquid environment [23]. They also introduce a virtual reality environment for the process [24]. Furthermore, they first and second critical force which are highly important for a precise manipulation process [25]. The control approaches for the manipulation process do not include a comprehensive 3D model for substrate and cantilever; thus, in this paper a 3D model which demonstrates the force deformation relationship and a feedback control strategy has been proposed. In this paper, the model which presents the relation between cantilever deformation and implied force has been introduced. The model has been verified using FEM simulation approach. Furthermore a feedback control strategy for manipulation of nano particle has been proposed. Using the presented models makes the control of precise manipulation process possible.

2 INTRODUCING SPRING CONSTANTS

In this section a model for force deformation in AFM cantilever (the most sensitive part of AFM) is introduced. It contains two sections 1) a cantilever in which force applies and 2) a sensor which measures the deformation. In order to model cantilever's behaviour, forces in three dimensions also cantilever's response to each of these forces are considered (as shown in Fig. 1).

$$\begin{bmatrix} F_x \\ F_y \\ F_z \end{bmatrix} = \begin{bmatrix} K_x & 0 & 0 & 0 & \frac{K_{\theta_y}}{H} \\ 0 & K_y & 0 & \frac{K_{\theta_x}}{H} & 0 \\ 0 & 0 & K_z & 0 & 0 \end{bmatrix} \times \begin{bmatrix} \varepsilon_x \\ \varepsilon_y \\ \varepsilon_z \\ \theta_x \\ \theta_y \end{bmatrix} \quad (1)$$




Fig. 1 Atomic force Microscope and effective forces

The generalized model in 3D manipulation is used in this work based on equation 1, where the spring constants have been introduced in earlier works [7], [8].

3 FINITE ELEMENT SIMULATIONS FOR ATOMIC FORCE MICROSCOPE

In the first step according to the technical information from handbooks, a model of cantilever is designed. Solid 95 is applied which is a type of 3 dimensional FEM elements in this simulation. This element is highly accurate and suitable for complicated geometry and it is also recommended for different analysis including large deformation and plasticity. With respect to the geometry and dimension of the cantilever, it is suitable for the simulation, where the mechanical properties of the cantilever is introduced using Table 1.




Fig. 2 Finite element model for AFM cantilever

Table 1 Mechanical Properties of Cantilever

ν	$E(Gpa)$	$\rho(kg / m^3)$
0.28	169	2330

In this step the cantilever is meshed, and in this simulation due to the fact that a high precision is essential, hence a fine mesh is applied. This fine mesh is focused in the corners of cantilever which are critical regions. In next step one side of the probe is fixed by closing all DOF in all nodes. Then, a constant force is applied and the model is solved.

Response will be compared with the present model's simulation as shown in Fig. 4. The same process is repeated by different forces and results for each step are compared by analytical results. Considering the current simulation (Fig. 4), it is concluded that both FEM and analytical simulation contain the same results, hence the present model is valid and the results

are satisfactory. As it is demonstrated in Fig. 4, both results have adequate correlation.




Fig. 3 Mesh generation for AFM cantilever




Fig. 4 FEM results compared with analytical results

5 3D CONTROL SYSTEM FOR AFM BASED NANO ROBOTS

In this section an analysis for control strategy is provided. It is important to have a suitable strategy in Nano fabrication process because achieving our goals in Nano manufacturing is highly depended on this strategy. Commercial AFM microscopes have an open loop control strategy which is not suitable for Nano fabrication process. A closed loop strategy is essential for this purpose while force detection is a necessary part of the control strategy. The force deformation model which is described in pervious sections is used for this purpose. In Nano manufacture process, a linear control is demanded during manipulation process, where two strategies are applied for this purpose. Two main strategies which are used in Nano manipulation process are constant height strategy and

constant force strategy. First strategy is built upon the fact that during the manipulation process, height of cantilever should be unchanged. Therefore, cantilever and particle would be ceaselessly attached so process would be possible. However, there would be some difficulties for this strategy including surface preparation before the process. Surface roughness is a crucial point in this process because having an uneven surface makes z level control impossible. The second approach which involves less preparation process is used in this research as well.

In constant force approach, instead of constant z height, force in the z direction is constant. In every step of the process cantilever deformation is monitored therefore Fz is found. With using a defined Fz and comparing these forces it is possible to see quickly any changes on force and response. A compensator is used to find the difference between monitored force and constant force which is defined by the operator. The designed controller compensates the produced error. In the x and y direction, piezoelectric stage is compelled to move, and the particle's position is monitored. This strategy would be applied until particles accomplish the desired position. In order to model the process a dynamic model for piezo stage has been introduced (Eq. 2 to 4).

$$M\ddot{x} + 2Mb_x\omega_x\dot{x} + M\omega_x^2x = Mu_x(t) - f_{ps}^x(t) \quad (2)$$

$$M\ddot{y} + 2Mb_y\omega_y\dot{y} + M\omega_y^2y = Mu_y(t) - f_{ps}^y(t) \quad (3)$$

$$M\ddot{z} + 2Mb_z\omega_z\dot{z} + M\omega_z^2z = Mu_z(t) - F_{ps} \quad (4)$$

Where b is the damping coefficient and ω is natural frequency, M is the mass of piezoelectric, f is the friction force, Mu is the piezoelectric force and F is the contact force between particle and substrate which is a nonlinear force. However, F is inconsiderable; consequently, it is neglected in the present model. Therefore, the system will be achieved as follows:

$$G_x(s) = \frac{1}{\frac{1}{\omega_x^2}s^2 + \frac{2b_x}{\omega_x}s + 1} \quad (5)$$

$$G_y(s) = \frac{1}{\frac{1}{\omega_y^2}s^2 + \frac{2b_y}{\omega_y}s + 1} \quad (6)$$

$$G_z(s) = \frac{1}{\frac{1}{\omega_z^2}s^2 + \frac{2b_z}{\omega_z}s + 1} \quad (7)$$

Table 2 Mechanical Properties of Cantilever

Simulation parameters	Damping Ratio	Natural Frequency
X Direction	669.07	.0366
Y Direction	407.07	.0293
Z Direction	686.13	.0410

Some experimental results are used for natural frequencies and damping coefficients as presented in Table 2. Step responses are represented in Fig. 5.




Fig. 5 Step response for transfer function (Eqs. 5 to 7)

Due to the fact that the poles are imaginary and are on the left side of imaginary axis, an under damped and oscillating response is expected. Settling time which has a key role in the Nano fabrication process is not suitable in this system; hence a feedback control system is used for a better control.

$$\begin{aligned} \dot{X} &= AX + BU \\ Y &= CX + DU \end{aligned} \quad (8)$$

Finding suitable feedback control for the system, the system's poles could be pushed to the desired position. Position of the ideal poles is a function of settling time and damping ratio. Therefore, considering settling time as .01s and damping ratio as .6, position of ideal poles could be found. Finally, a controller has been proposed to achieve the designed goals (Fig. 6).

As it is observed step response has a remaining error which could be omitted by modifying the proposed controller. In the proposed feedback control system settling time would be $t_s = .01$ which is acceptable for micro manipulation process.




Fig. 6 Step response with feedback control




Fig. 7 Step response in X direction with feedback control

5 CONCLUSION

In this paper, a model is introduced which determines three dimensionally the relation between force and deformation. The same strategy could be used for cantilever with different geometries. A FEM simulation is proposed as verification approach which confirmed that the model works precisely in 3D form.

A constant F_z is found from experiment and compared by F_z which monitored during process then a signal would shows differences. For precise manipulation, it is vital to have a control strategy; therefore, a feedback control system has been proposed. The modelling and simulation of control feedback is introduced three dimensionally to present a comprehensive approach, where this method could be applied in any desired cantilever geometry.

6 ACKNOWLEDGMENTS

The authors would like to thank Islamic Azad University of Qazvin for its contribution in this paper. This work has been funded by Islamic Azad University of Qazvin as a part of this research project.

REFERENCES

- [1] Strosio, J. A, Eigler, D. M., "Atomic and Molecular Manipulation with the Scanning Tunneling Microscope", *Science*, Vol. 254, No. 5036, 1996, pp. 1322-1326.
- [2] Schaefer, D. M, Reifengerger, R., "Fabrication of two-dimensional of Nanometer -size clusters with the atomic force microscope", *Applied Physics Letters*, Vol. 66, No. 8, 1995, pp. 1012-1014.
- [3] Junno, T., Deppert, K., and Montelius, L., "Controlled Manipulation of Nanoparticles with an Atomic Force Microscope", *Applied Physics Letters*, Vol. 66, No. 3627, 1995, pp. 3627-3629.
- [4] Sitti, M., Hashimoto, H., "Controlled Pushing of Nanoparticles: Modeling and Experiments", *IEEE/ASME Transaction On Mechatronics*, Vol. 5, No. 2, 2000, pp. 199-211.
- [5] Sitti, M., "Survey of Nanomanipulation Systems", *IEEE Nanotechnology Conference*, Maui, 2001, pp. 75 - 80.
- [6] Tafazzoli, A., Sitti, M., "Dynamic behavior and simulation of Nanoparticle sliding during Nanoprobe based positioning", *ASME International Mechanical Engineering Congress*, California, 2004, pp. 965-972.
- [7] Korayem, M. H., Hoshidar, A. K., "Modeling and simulation of dynamic modes in the manipulation of nanorods, *Micro & Nano letters*", Vol. 8, No. 6, 2013, pp. 284-287.
- [8] Korayem, M. H., Hoshidar, A. K., "Dynamic 3D modeling and simulation of nanoparticles manipulation using an AFM nanorobot", *Robotica*, Vol. 32, No. 4, 2014, pp. 625-641.
- [9] Li, G., Xi, N., Chen, H., Saeed, A., and Yu, M., "Assembly of nanostructure using AFM based nanomanipulation system", *International Conference on Robotics and Automation (ICRA)*, Shanghai, Vol. 1, 2011, pp. 428-433.
- [10] Hou, J., Liu, L., Wang, Z., Wang, Z., Xi, N., Wang, Y., Wu, C., Dong, Z., and Yuan, S., "AFM-Based robotic nano-hand for stable manipulation at nanoscale", *Transaction on automation science and engineering*, Vol. 10, No.2, 2013, pp. 285-295.
- [11] Sri Muthu Mrinalini, R., Sriramshankar, R., and Jayanth, G. R., "Direct Measurement of Three-Dimensional Forces in Atomic Force Microscopy", *IEEE/ASME Transaction on mechatronics*, Vol. PP, No. 99, 2014, pp. 4674-4679.
- [12] Falvo, M. R, Clary, G, Hesler, A., and Paulson, S., "Nanomanipulation experiments exploring friction and mechanical properties of carbon Nanotube", *Micros Microanal*, Vol. 4, No. 5, 1999, pp. 504-512.

- [13] Jiangbo, Z., Guangyong, L., and Xi, N., "Modeling and Control of Active End Effectors for the AFM Based Nano Robotic Manipulators", International Conference on Robotics and Automation IEEE, Barcelona, 2005, pp. 163-168.
- [14] Lianqing, L., Xi, N., Yilun, L., Jiangbo, Z., and Guangyong, L., "Real-time Position Error Detecting in Nanomanipulation Using Kalman Filter", Proceedings of the 7th IEEE International Conference on Nanotechnology, Hong Kong, 2007, pp. 100-105.
- [15] Lianqing, L., Peng, Y., Xiaojun, T., Yuechao, W., Zaili, D., and Xi, N., "Force Analysis of Top-Down Forming CNT Electrical Connection Using Nanomanipulation Robot", IEEE International Conference on Mechatronics and Automation, Luoyang, 2006, pp. 113-117.
- [16] Wang, Zh., Liu, L., Hou, Ji., Wang, Zh., Yuan, Sh, and Dong, Z., "Virtual nano-hand: A stable pushing strategy in AFM based sensorless nanomanipulation", IEEE International Conference on Robotics and Biomimetics (ROBIO), Phuket, 2011, pp. 1409–1414.
- [17] Fang, Y., Zhang, Y, Qi, N., and Dong, Xi., "AM-AFM System Analysis and Output Feedback Control Design With Sensor Saturation", IEEE Transactions on Nanotechnology, Vol. 12, No. 2, 2013, pp. 190-202.
- [18] Polyakov, B., Vlassov, S., Dorogin, L.M., Butikova, J., Antsov, M., Oras, S., Löhmus, R., and Kink, I., "Manipulation of nanoparticles of different shapes inside a scanning electron microscope", Beilstein Journal of Nanotechnology, Vol. 5, 2014, pp. 133–140.
- [19] Kumar, S., Das, M., Singh, R. P., Datir, S., Chauhan, D. S., and Jain, S., "Mathematical models for the oxidative functionalization of multiwalled carbon nanotubes", Colloids and Surfaces A: Physicochemical and Engineering Aspects, Vol. 419, 2013, pp. 156-165.
- [20] Sun, Z., Song, B., Xi, N., Yang, R., Hao, L., and Chen, L., "Scan range adaptive hysteresis/creep hybrid compensator for AFM based nanomanipulations", American Control Conference, Portland 2014, pp. 1619–1624.
- [21] Zhao, J., Song, B., Xi, N., "Non-vector space stochastic control for nano robotic manipulations", IEEE/RSJ International Conference on Intelligent Robots and Systems, Chicago, 2014, pp. 852–857.
- [22] Amari, N., Folio, D., and Ferreira, A., "Robust Nanomanipulation Control based on Laser Beam Feedback", IEEE/RSJ International Conference on Intelligent Robots and Systems, Chicago, 2014, pp. 4674–4679.
- [23] Korayem, M. H., Hoshiar, A. K., and Kordi, F., "Dynamic Modeling and Simulation of Cylindrical Nanoparticles in Liquid Medium" International Journal of Advanced Manufacture Technology, 2014, Vol. 75, pp. 197-208.
- [24] Korayem, A. H., Hoshiar, A. K., Ashtiani, N. N., and Korayem, M. H., "Using a Virtual Reality Environment to Simulate the Pushing of Cylindrical Nanoparticles" International Journal of Nanoscience Nanotechnology, 2014, Vol. 10, pp. 133-144.
- [25] Korayem, A. H., Hoshiar, A. K., and Korayem, M. H., "Modeling and simulation of critical forces in the manipulation of cylindrical nanoparticles", International Journal of Advanced Manufacture Technology, 2015, Vol. 79, pp. 1505-1517.